



# TOWNSHIP OF NORTH HURON

# REPORT

Item No.

**REPORT TO:** Reeve Vincent and Members of Council  
**PREPARED BY:** Chad Kregar, Deputy Chief  
**DATE:** 05/02/2018  
**SUBJECT:** 2017 Annual Fire Report  
**ATTACHMENTS:**

---

## **RECOMMENDATION:**

THAT the Council of the Township of North Huron hereby receive the 2017 Annual Fire Report prepared by Deputy Chief Kregar, dated February 5, 2018, for information purposes;

AND FURTHER, that in accordance with the fire agreements with adjacent municipalities, the Clerk is directed to distribute the 2017 Annual Fire Report to the Municipalities of Central Huron, Morris-Turnberry and Ashfield-Colborne-Wawanosh;

AND FURTHER, that staff attend and speak to the report at the Central Huron, Morris-Turnberry and Ashfield-Colborne-Wawanosh Council meetings, if requested.

## **EXECUTIVE SUMMARY**

The North Huron Fire Department is committed to the enhancement of the quality of life through the protection and preservation of life and property within the jurisdiction of the Township of North Huron from the effects of fire and other emergencies.

Our mission will be accomplished through the delivery of fire prevention, public education and professional emergency response programs to all who work, live and play within our community. We will work to educate people in fire safety in order that they may protect themselves and their families.

We will strive to minimize any adverse effects on individuals, families and businesses as a result of these emergencies and work to safeguard the environment. Through this effort we will protect our lifestyle and the general economic welfare of the community.

The terms of the fire agreements in place with the Township of Ashfield-Colborne-Wawanosh, the Municipality of Central Huron and the Municipality of Morris-Turnberry, all require that the Fire Department of North Huron distribute an annual report to each respective Council.


## **DISCUSSION**

### **Goals**

- 1) Provide for the safety of the public and the firefighters.
- 2) Identify and review the fire service requirements of the municipality
- 3) Provide the administrative process consistent with the needs of the department.
- 4) Ensure that firefighting equipment and operating personnel are available within the municipality to provide adequate response to a citizen's call within a reasonable time.

- 5) Provide departmental training to an accepted standard which will ensure the continuous upgrading of all personnel in the latest techniques of fire prevention, firefighting and control of emergency situations and to cooperate with other departments of the corporation with respect to assistance and other programs.
- 6) Provide a maintenance program to ensure all fire protection apparatus, including allied equipment, is ready to respond to emergency calls.
- 7) Provide an effective fire prevention program to:
  - a. Ensure, through cooperation with the building department and inspection compliance with applicable municipal, provincial and federal fire prevention legislation, statutes codes and regulations.
  - b. Reduce and/or eliminate fire hazards.
- 8) Develop and maintain an effective public information system and education program with particular emphasis on school fire safety programs.
- 9) Ensure that in the event of a major catastrophe in the municipality, assistance to cope with the situation is available from outside departments and agencies.
- 10) Develop and maintain a good working relationship with all outside agencies related to the protection of life and property.

## FIRE DEPARTMENT OF NORTH HURON ORGANIZATION CHART



### Core Services

Fire Department of North Huron provides a wide range of fire protection services to our residents. Fire protection services means a range of programs and services designed to protect the lives and

property of the inhabitants of the Township of North Huron, Central Huron and Morris-Turnberry from the adverse effects of fires or exposure to dangerous conditions created by individuals or nature.

These services include:

- structural fire suppression and rescue
- motor vehicle firefighting
- fire prevention activities including Fire Code enforcement and inspections \*
- fire safety education \*
- communications
- technical rescue operations including extrication of patients from motor vehicle accidents and industrial accidents
- farm accident rescue
- awareness level hazardous materials response
- awareness level confined space rescue
- awareness level trench rescue
- shore based ice/water rescue
- emergency medical first response
- training of persons involved in the provision of fire protections services rescue and emergency services and the delivery of all those services

This list of services was developed by the Councils of Central Huron, North Huron and Morris-Turnberry during the formation of the department during the fall of 2009. It represents the services that the residents of the communities expect their fire department to perform.

\*The FDNH does not perform this service for the Municipalities of Central Huron and Morris-Turnberry.



*FDNH firefighters working on large Barn fire.*

## **Public Education**

Captain - Ken DeVries

Our Public Education efforts again this year have centered on getting fire safety information out to the public. We have hosted information tables at several local events, given fire safety information to local community groups and organized a well-attended Open House in conjunction with Fire Safety Week. North Huron provides complete spring and summer fire safety kits to members of the

surrounding municipalities resulted in better public awareness of home fire safety and emergency preparation for families in our communities.

Our door to door smoke alarm campaign this year was focused in Ashfield Colborne Wawanosh. This is a very successful program where firefighters visit homes to ensure all families have working smoke detectors. In addition this year firefighters were also ensuring compliance with new laws related to carbon monoxide detectors and taking the opportunity to educate the dangers and the symptoms related to carbon monoxide poisoning.

- Homes visited- 62
- Smoke alarms installed- 45
- Homes in compliance- 17
- Homes not in compliance- 26
  - \* Older than ten years -23
  - \* Missing- 4
- Home owners not home – 11
- Denied entry - 8

In addition we had numerous station tours with local organizations leading the groups around each station, explaining each truck and equipment use. The FDNH also visited different church groups and schools demonstrating fire drills, fire extinguisher operation and fire safety.

### **Training Division**

Captain - Brad Hodgkinson, Captain Russ Nesbitt

The training division is one of the most important areas of the FDNH, as we thrive to be the best and ready for any type of emergency, we have ongoing training in areas of medical response, auto Extrication operations, and fire suppression techniques. In addition to regular training nights we had 3 new goals set out for 2017 which were training on safety, medical first response patient care, auto extrication, and have all recruits complete Firefighter 1 and standard first aid.

### **OBJECTIVES – 2017**

- Training every Monday and Thursday evening
- On going Medical first response patient care
- Firefighters compliant with safety
- Personal protective equipment and SCBA training
- Radio procedures
- Hose lays
- RIT training
- Fire Fighter Survival
- Medical response including having EMS attend with new ambulance (power lift stretchers)
- Weekend training – Fire Suppression and Search & Rescue -Auto Extrication
- HazMat Awareness
- Driver Training for Crews on heaviest truck
- Alarms for Life

- Basic skills – Operating chainsaws, power tools
- Water Shuttle – relay pumping
- Fire tactics – hose streams
- New recruit training

For 2017 there were 46 weekly training sessions for each station resulting in 92 individual regular training sessions. We changed our training schedule this year to include a full weekend training session one in May and one in September in lieu of long weekend stat holidays. The sessions each week were the same in both stations, which allows firefighters who cannot attend a session in their home station, to attend the same session in the other station. This has resulted in many of our firefighters being able to keep up with their training while still maintaining a balance with home life.

In addition our officers took a firefighter 2 course were they all received met their job performance reviews.

Canadian Critical incident Stress Foundation provided training in post-traumatic stress disorder as well as a course was offered to all fire fighters spouses on the signs and symptoms. FDNH is trained to SITT level1

Captain Ken DeVries completed his Fire public educator level 1 and 2.

### **Objectives for 2018**

- |                                   |                             |
|-----------------------------------|-----------------------------|
| • Complete Firefighter 2          | • Emergency first responder |
| • Air Management                  | • Hose lays                 |
| • Rapid intervention team         | • Fire attack               |
| • Firefighter survival            | • Pumping apparatus         |
| • Fire attack                     | • Auto extrication          |
| • New recruits Firefighter 1 Cert |                             |

In recent years it was encouraged by the firefighter to obtain a DZ licence on their own, but in recent years we have noticed I high failure rate. In January we started training 10 firefighters on receiving their DZ license. This being conducted by Canada Heavy Equipment College. The plan is to have 2 full weekends of instruction with service Ontario coming to the fire station to complete the driver's test.

### **Mechanical Division**

Captains Trevor Hickey & Bill Burkholder

The Mechanical Division is one of the busiest of the department. We have record keeping procedures, maintenance schedules and other documentation to ensure our equipment is always in ready shape.

Mandatory equipment testing on our equipment was completed and repairs / replacements made. This included the testing of our fire engine pumps, six month ongoing testing of our breathing air compressors, visual and hydrostatic testing of our SCBA cylinders, flow testing of the SCBA packs, ladder and hose testing.

Most of these are for compliance with having a Respiratory Protection Program as is required by the Ministry of Labor. We also fit tested all of our personnel and supplied them with individual face masks.

In summary, we continue to take pride in our equipment and its imperative that all equipment is ready and in excellent working condition as it's never known what condition we are approaching at a moment's notice.

Fire Department North Huron Blyth station has 5 Pieces of apparatus:

- E6 - 2000 Freightliner Engine (front line pumper)
- R7 - 1996 Freightliner Rescue Truck (Rescue truck equipped with extrication equipment)
- U10 – Cub Cadet with skid unit for grass fires which also tows rescue sled
- T8 - 2004 Freightliner Tanker that holds 3000 gal of water
- T9 – 2012 Pierce Sabre Tanker with on board pump

In 2017 we had regular annual testing on apparatus and equipment.

Testing that was completed:

- Annual pump test on E6.
  - - T9 (Tank 9) also has an on board pump but is considered a second line pump. Therefore in the best interest of budgeting that pump was not certified (pump test) as it isn't used in fire ground operations considered hazardous to life safety.
- Annual Truck safeties and service were done
- Annual Ladder test which passed
- Annual Air flow test on Self Contained Breathing Apparatus (SCBA) which passed with minor

## Repairs

Throughout the year there are always some repairs that are ongoing some we can do in House and other we must source out. Those were:

T9:

- Marker light(s) replacement (in house repairs)
- add 12v outlet in cab for new LED scene light (in house)
- Scene light(s) installation (in house)
- Fabrication repair to underbody heater pan that was damaged during a call when the truck encountered clearance issues with the ground (Joe Kerr)

R7:

- Significant oil leak repair. (Joe Kerr)
- Minor addition and deletion of new/old tools as technology changes and tools wear out (in house)

T8:

- Small repair to front bumper to alleviate vibration/noise problem (in house)
- No other significant repairs to report.

#### Equipment repairs:

- Minor adjustments and repairs are ongoing throughout the year as regular maintenance.
- Nothing significant enough to report.

#### NOTES;

-This year is our bi-annual time to conduct stationary ladder tests which affects both stations. The estimated amount has been included in our current proposed budget as “repair and maintenance”.  
 -We have also changed our needs for preventative rust protection to reflect fiscal restraints as well. Last year we refrained from oiling our apparatus. This year will be the start of our new 2 year rotation for this process.

#### **Fire Department North Huron Wingham station has 5 Pieces of apparatus:**

- E1 -2008 Pierce Engine (front line pumper)
- L2 -2004 Pierce Ladder Truck (2nd pumper with 105’ ladder)
- T4 -2016 Freightliner Tanker with pump that holds 3000 gal of water
- Sq. 5 -Dodge Ram 1500 crew cab Squad with tool box and medical equipment

In 2017 we had regular annual testing on apparatus and equipment.

Testing that was done:

- Annual pump test on E1, L2 which both pumps passed.
- Annual Truck safeties and service were done
- Annual Ladder test which passed
- Annual Air flow test on Self Contained Breathing Apparatus (SCBA) which passed with minor

#### Repairs

Throughout the year there are always some repairs that are ongoing some we can do in House and other we source out. Those were:

#### E1:

- Marker light(s) replacement (in house repairs)
- add 12v outlet in cab (Joe Kerr’s)
- Scene light(s) build replacement (in house)

#### L2:

- Overheating do to thermostat (Joe Kerr’s repair)
- Fold out step air diverter replaced (Joe Kerr’s)
- Rear outrigger seal leak (Joe Kerr’s)
- Added 12v outlets in cab (Joe Kerr’s)
- Hydraulic filter seal leak (Joe Kerr’s)

T4:

- Flash lights (in house)

Sq5:

- Marker light(s) replacement (in house)

**Equipment repairs:**

- Hydraulic cutters open/close issues repaired (Darch fire)
- 4" portable pumps service (oil change ext.) (In house)
- PPV portable fan recall repaired issues (Darch fire)
- Broken nozzle(s) bail (in house repairs)

**Medical Division**

Captain - Mike McDonald, Shawn McCurdy

In 2017 our focus was to keep up to date with ongoing medical training to ensure the communities we serve get the best patient care immediately when in time of need.

As the leaders in this Division, we attended a train-the-trainer defibrillator training course in Paisley. Doctor Ebey, our medical director, led the session and updated our skills and training in the new CPR protocols for 2017.

**Activities**

- Order and restock medical supplies for training or on medical responses in both stations
- Planned and led 4 medical training nights throughout the year
- Planned and led downed firefighter CPR rescue
- Instituted a back to basics medical refresher
- Invited Huron EMS to attend 2 training sessions to review new ambulances and stretchers

**Objectives for 2018**

- Recertify all FDNH staff to full Emergency First Responders; this training will take 40hrs
- New EMS guidelines on patient care and backboard use
- Continue medical training basics and scenarios

**Health & Safety including gear**

Captain - Jeff Howson

2017 was busy year for bunker gear replacement. We had 16 complete sets replaced. We had other replacements of gloves, balaclava's and helmet's as well. Gear has a 10 year life expectancy so we were able to donate our expired gear to the Mexican relief program on fire-fighting equipment thru local Doug Scrimgeour. 2018 has minimal replacements required at this point pending new recruits and sizing's of extra's in storage, looking to only replace 2 or 3 sets this



year. We will be sending out all gear for our annual wash/repair program as in previous years. We continue to monitor and clean gear internally as needed throughout the year.

Health & Safety, FDNH is part of North Huron's committee. Quarterly meetings and station inspections with information available to all members on H&S. FDNH have named 2 firefighters who are both part of the Huron EMS as our Communicable Disease designates going forward in case any situation arises. Continued in house department checks on both H&S and Gear items are completed and checked on monthly truck check nights.

We had 1 firefighter injured this year during a training evolution where the firefighter had a miss step dismounting ladder 2. The fire fighter received 2 stiches above his left eye from his helmet. Upon investigation it was found that the firefighter did not dismount the apparatus correctly with 3 point contact and helmet was not fasted. No further action was required.

## Emergency Calls

### CENTRAL HURON

Number	Date	Alarm Time	Response Type Description	Address
17-166	Dec 12 17	13:04:25	Vehicle Collision	BLYTH RD / DUTCH LI
17-161	Dec 6 17	02:09:18	Vehicle Collision	BASE LI / LONDESBORO RD
17-131	Oct 9 17	11:39:37	Alcohol or drug related	40891 WINTHROP RD
17-126	Sep 30 17	12:35:59	Alarm System Equipment- Accidental activation	40678 LONDESBORO RD
17-120	Sep 16 17	13:17:14	Fire	40991 BLYTH RD
17-113	Sep 1 17	04:06:35	Fire	80969 Baseline
17-100	Aug 4 17	12:04:08	Vehicle Collision	LONDESBORO MAIN ST / KING'S RD
17-066	May 24 17	22:36:00	Oxygen administered	82651 SANDHILL LI
17-059	May 11 17	16:24:27	Oxygen administered	38649 BLYTH RD
17-049	Apr 18 17	12:53:38	Fire	LONDESBORO RD / BURNS LI
17-047	Apr 18 17	10:41:23	Human – Accidental (alarm accidentally	269 KING ST
17-048	Apr 18 17	10:41:23	Human – Accidental (alarm accidentally	269 KING ST
17-042	Apr 7 17	23:20:43	Seizure	82316 BURNS LI
17-038	Mar 26 17	11:39:11	CO false alarm -perceived emergency (no	141 Goderich Street Auburn
17-033	Mar 9 17	01:44:12	Vehicle Collision	LONDON RD / BLYTH RD
17-028	Feb 25 17	03:02:28	Assistance to Other Agencies (exec 921 and	82835 LIMEKILN LI
17-023	Feb 15 17	14:18:31	Alarm System Equipment- Malfunction	269 KING ST
17-018	Feb 9 17	06:23:19	Rescue no action required	82909 HARLOCK LI
17-017	Feb 5 17	19:08:27	Oxygen administered	82779 BANDON LI
17-011	Jan 22 17	18:24:10	Vehicle Collision	LONDON ROAD - BLYTH ROAD
17-005	Jan 6 17 17:05:26		Other Medical/Resuscitator	

### NORTH HURON

Number	Date	Alarm Time	Response Type Description	Address
17-170	Dec 29 17	04:48:51	Medical/resuscitator call no action required	

17-169	Dec 22 17	14:44:07	Overheat (no fire, e.g. Engines, mechanical)	390 MORRIS ST
17-168a	Dec 18 17	19:12:54	Oxygen administered	252 JOSEPHINE ST
17-168a	Dec 18 17	19:12:54	Oxygen administered	84437 HOOVER LI
17-168	Dec 18 17	19:12:54	Oxygen administered	84437 HOOVER LI
17-167	Dec 13 17	17:36:05	Vehicle Collision	84437 HOOVER LI
17-165	Dec 9 17	09:04:03	other pre fire conditions (no fire)	LONDON RD / AMBERLEY RD
17-173	Dec 9 17	09:04:03	Overheat (no fire, e.g. Engines, mechanical)	233 VICTORIA ST W
17-164	Dec 8 17	08:57:05	Vital signs absent, DOA	233 VICTORIA ST W
17-163	Dec 6 17	18:26:37	Other Cooking/toasting/smoke/	308 BLYTH RD
17-162	Dec 6 17	07:14:06	Oxygen administered	359 EDWARD ST
17-159	Dec 5 17	11:36:49	Medical/resuscitator call no action required	45 ALFRED ST E... Room 209
17-158	Nov 27 17	12:17:13	Alarm System Equipment- Accidental activation	100 DAVID ST
17-156	Nov 20 17	11:32:07	Medical/resuscitator call no action required	231 VICTORIA ST E
17-152	Nov 19 17	10:54:59	Vehicle Collision	282 SUMMIT DR
17-149	Nov 15 17	19:07:48	Call cancelled on route	MONCRIEFF RD / LONDON RD
17-148	Nov 14 17	02:59:58	CO incident, CO present (exc false alarms)	250 JOHN ST E
17-147	Nov 10 17	13:31:08	Human – Accidental (alarm accidentally)	436 HIGHLAND DR
17-146	Nov 10 17	13:01:17	Alarm System Equipment- Accidental activation	239 WILLIAM ST
17-143	Nov 5 17	14:13:40	Vehicle Collision	239 WILLIAM ST
17-142	Nov 3 17	03:44:06	CO false alarm -equipment malfunction	BLYTH RD / LONDON RD
17-141	Nov 2 17	16:43:50	Alarm System Equipment- Malfunction	270 SHUTER ST
17-140	Oct 31 17	21:40:37	Fire	161 DINSLEY ST
17-139	Oct 30 17	23:25:25	Other - Medical/Resuscitator	39769 MONCRIEFF RD
17-136	Oct 28 17	22:43:58	Alarm System Equipment- Malfunction	141 CATHERINE ST
17-135	Oct 18 17	15:20:11	Chest pains or suspected heart attack	99 KERR DR
17-134	Oct 13 17	09:32:00	Oxygen administered	412 QUEEN ST
17-130	Oct 2 17	20:56:40	Alarm System Equipment- Malfunction	242 HAMILTON ST
17-129	Oct 2 17	20:51:38	Oxygen administered	299 QUEEN ST
17-124	Sep 28 17	19:05:35	Alarm System Equipment- Malfunction	369 JOSEPHINE ST
17-123	Sep 25	17 08:02:22	Alarm System Equipment- Malfunction	132 JOSEPHINE ST
17-122	Sep 19 17	16:06:29	Alarm System Equipment- Malfunction	260 GYPSY LN
17-119	Sep 12 17	15:20:08	Alarm System Equipment- Malfunction	183 DRUMMOND ST
17-118	Sep 10 17	21:27:01	Alarm System Equipment- Malfunction	231 VICTORIA ST E
				198 JOSEPHINE ST

17-111	Aug 26 17	19:25:08	Fire	161 DINSLEY ST
17-110	Aug 23 17	22:38:54	Gas Leak –Refrigeration	99 KERR DR
17-109	Aug 20 17	12:52:33	Medical/resuscitator -call no action required	252 JOSEPHINE ST
17-108	Aug 19 17	20:04:46	Oxygen administered	294 SHUTER ST
17-107	Aug 18 17	13:23:54	Alarm System Equipment- Accidental activation	428 QUEEN ST
17-105	Aug 13 17	09:16:58	Other Response	200 WATER ST
17-104	Aug 12 17	11:02:13	Alarm System Equipment- Malfunction	145 CORNYN ST
17-101	Aug 8 17	11:49:34	Call cancelled on route	250 JOHN ST E
17-099	Aug 1 17	01:13:37	Spill - Gasoline or Fuel	284 DRUMMOND ST
17-098	Jul 31 17	16:31:54	Alarm System Equipment- Accidental activation	231 VICTORIA ST E
17-097	Jul 29 17	20:22:06	CPR administered	272 DRUMMOND ST
17-094	Jul 13 17	10:50:19	Alarm System Equipment- Malfunction	270 CARLING TR
17-092	Jul 11 17	00:14:12	NO LOSS OUTDOOR fire	303 JOSEPHINE ST
17-091	Jul 9 17	17:29:49	Human – Malicious intent, prank	270 CARLING TR
17-090	Jul 3 17	11:52:07	Accident or illness related - cuts,	38939 BRUCE ROAD 86
17-087	Jun 27 17	03:27:18	Alarm System Equipment- Malfunction	401 CARLING TR
17-086	Jun 25 17	06:49:56	Other - Medical/Resuscitator	77 CATHERINE ST
17-085	Jun 23 17	16:16:38	Other Public Hazard	369 JOSEPHINE ST
17-084	Jun 23 17	10:46:16	Call cancelled on route	14 VICTORIA ST E
17-083	Jun 23 17	05:52:12	Alarm System Equipment- Malfunction	270 CARLING TR
17-081	Jun 21 17	10:13:56	Rescue no action required	BLYTH RD / LONDON RD
17-080	Jun 19 17	23:25:32	Accident or illness related - cuts,	356 MORRIS ST
17-078	Jun 18 17	06:58:20	Alarm System Equipment- Malfunction	270 CARLING TR
17-077	Jun 18 17	00:36:11	Alarm System Equipment - Malfunction	270 CARLING TR
17-075	Jun 13 17	12:23:09	Other Response	84141 LONDON RD
17-074	Jun 10 17	16:59:07	Alarm System Equipment- Malfunction	232 WESTMORELAND ST
17-073	Jun 8 17	17:24:37	Other pre fire conditions (no fire)	307 KING ST
17-072	Jun 5 17	16:38:09	Call cancelled on route	239 WILLIAM ST
17-071	Jun 1 17	08:53:19	Other Response	433 GYPSY LN
17-070	May 31 17	01:35:39	CO false alarm - equipment malfunction	39724 MONCRIEFF RD
17-067	May 25 17	05:40:56	Alarm System Equipment - Malfunction	145 CORNYN ST
17-065	May 24 17	13:10:57	Call cancelled on route	200 WATER ST
17-063	May 19 17	09:55:52	Medical/resuscitator call no action required	33 VICTORIA ST W
17-062	May 17 17	10:47:13	Medical/resuscitator call no action required	39377 AMBERLEY RD
17-060	May 11 17	20:00:07	Medical Aid Not Required on Arrival	

17-057	May 6 17	13:36:25	Accident or illness related - cuts,	257 SHUTER ST
17-056	May 5 17	03:08:20	Oxygen administered	39517 NATURE CENTRE RD
17-054	May 3 17	09:34:47	Alarm System Equipment- Accidental activation	659 QUEEN ST
17-053	May 2 17	02:38:58	NO LOSS OUTDOOR fire (see exclusions)	329 JOSEPHINE ST - APT 3
17-052	Apr 26 17	13:04:27	Alarm System Equipment- Accidental activation	274 JOSEPHINE ST
17-051	Apr 24 17	00:50:40	Overheat (no fire, e.g.engines, mechanical	270 CARLING TR
17-046	Apr 15 17	14:30:35	Assistance to Police (exc 921 and 922)	393 SHUTER ST
17-045	Apr 14 17	15:31:26	Medical/resuscitator call no action required	83689 LONDON RD
17-044	Apr 13 17	08:38:25	Gas Leak - Natural Gas	83689 LONDON RD
17-043	Apr 8 17	13:49:12	Medical/resuscitator call no action required	163 BOLAND ST
17-041	Apr 6 17	19:14:18	Gas Leak - Natural Gas	59 ALBERT ST E
17-039	Mar 28 17	16:29:39	Call cancelled on route	264 WELLINGTON ST
17-037	Mar 25 17	14:56:26	CO false alarm -perceived emergency (no	52 BRISTOL TR
17-036	Mar 16 17	12:59:00	Call cancelled on route	230 MORRIS ST
17-034	Mar 9 17	12:04:00	Other - Cooking/toasting/smoke/	200 WATER ST
17-032	Mar 8 17	18:53:17	Call cancelled on route	359 EDWARD ST Apt 209
17-031	Mar 2 17	07:35:49	Vital signs absent, DOA	163 PARK DR
17-030	Mar 1 17	16:46:33	Call cancelled on route	39703 BELFAST RD
17-027	Feb 23 17	12:23:16	Other pre fire conditions (no fire)	366 SUMMIT DR
17-026	Feb 21 17	09:50:37	Pot on Stove (no fire)	99 JOHN ST W
17-024	Feb 16 17	13:02:56	Medical/resuscitator call no action required	303 FRANCES ST
17-022	Feb 13 17	16:03:08	Fire	153 JOHN ST W
17-021	Feb 13 17	10:13:32	Call cancelled on route	4 QUEEN'S ST
17-019	Feb 12 17	09:47:52	Assistance not required by other agency	JOSEPHINE ST N / NORTH ST W
17-015	Feb 3 17	19:06:47	CO false alarm -perceived emergency	220 CARLING TR
17-013	Jan 27 17	13:36:09	Other-Medical	60 PATRICK ST E
17-012	Jan 27 17	09:24:05	Vital signs absent, DOA	470 ALICE ST
17-010	Jan 17 17	04:00:02	Vital signs absent, DOA	274 GYPSY LN apt 2
17-004	Jan 5 17	09:58:52	Oxygen administered	73 CARLING TR
17-002	Jan 4 17	10:51:10	CO false alarm - equipment malfunction	192 DRUMMOND ST
17-001	Jan 1 17	12:59:31	CO false alarm - equipment malfunction	5 VETERANS RD
				390 MORRIS ST

#### ASHFIELD / COLBOURNE / WAWANOSH

Number	Date Alarm	Time	Response Type Description	Address
17-153	Nov 19 17	10:49:43	Vehicle Extrication	BLYTH RD / MAITLAND TR
17-145	Nov 10 17	06:56:51	Vehicle Collision	NILE RD / BLYTH RD
17-076	Jun 13 17	19:04:48	Other Response	DUNGANNON RD/ST AUGUSTINE LI

17-069	May 29 17	10:13:01	CO incident, CO present (exc false alarms)	39724 MONCRIEFF RD
17-068	May 29 17	07:42:51	Fire	38006 HAWKINS RD

### MORRIS TURNBERRY

Number	Date	Alarm Time	Response Type Description	Address
17-171	Dec 31 17	09:32:40	Fire	87004 RAMSAY LI
17-160	Dec 5 17	21:44:29	Public Hazard no action req'd	MARY ST / ROYAL RD
17-157	Nov 23 17	10:58:25	Other pre fire conditions	261 STACEY ST
17-155	Nov 19 17	12:24:30	Vehicle Collision	BLYTH RD / ELEVATOR LI
17-154	Nov 19 17	11:29:44	Vehicle Collision	AMBERLEY RD / MAPLE RD
17-151	Nov 19 17	07:39:48	CO false alarm -perceived emergency (no	89721 GILMOUR LI
17-144	Nov 9 17	20:53:06	Vehicle Collision	AMBERLEY RD / MAPLE RD
17-138	Oct 30 17	04:12:09	Fire	40222 JAMESTOWN RD
17-137	Oct 28 17	20:48:40	Fire	40222 JAMESTOWN RD
17-133	Oct 11 17	18:10:10	Vehicle Collision	LONDON RD / BOK LI
17-132	Oct 10 17	11:41:10	Vital signs absent, DOA	40440 JAMESTOWN RD
17-125	Sep 29 17	14:57:56	Vehicle Collision	London Road and North St.
17-121	Sep 18 17	22:22:02	Vehicle Collision	40914 AMBERLEY RD
17-117	Sep 9 17	08:09:27	Vital signs absent, DOA	40717 B LINE RD
17-116	Sep 5 17	19:16:45	Vehicle Collision	CLYDE LI / ST MICHAELS RD
17-115	Sep 4 17	16:59:23	Fire	86587 WHEELER LI
17-114	Sep 1 17	22:00:06	Vehicle Collision	HOWICK-TURNBERRY RD / LONDON RD
17-112	Aug 27 17	17:34:01	Vehicle Collision	TURNBERRY-CULROSS WEST / KINGS RD
17-106	Aug 17 17	05:08:19	Alarm System Equipment-	719 JOSEPHINE ST N
17-103	Aug 11 17	08:12:15	Medical/resuscitator - call no action required	40440 JAMESTOWN RD
17-102	Aug 10 17	15:13:48	Fire	83872 LONDON RD
17-096	Jul 25 17	17:07:26	Vehicle Collision	LONDON RD / BELFAST RD
17-095	Jul 22 17	10:21:36	Fire	89694 KIEFFER LI
17-093	Jul 12 17	18:03:40	Vehicle Collision	40937 BLYTH RD
17-089	Jun 28 17	12:17:02	Fire	CLYDE ST / MORRIS ST
17-088	Jun 27 17	19:24:14	Other Rescue	86817 GIBBONS LI
17-082	Jun 22 17	13:12:44	CO false alarm	26 BRANDON ST
17-064	May 20 17	20:43:49	NO LOSS OUTDOOR fire	40702 HOWICK-TURNBERRY
17-061	May 12 17	16:33:30	Chest pains / heart attack	41535 MORRIS-TURNBERRY
17-058	May 9 17	09:33:24	Vehicle Collision	LONDON RD / MONCRIEFF
17-055	May 3 17	13:23:47	Alarm System Equipment	40767 JAMESTOWN RD
17-050	Apr 23 17	18:13:22	NO LOSS OUTDOOR fire	B LINE RD / MCLEAN LI
17-040	Apr 2 17	14:46:26	NO LOSS OUTDOOR fire	42045 HURON-BRUCE RD
17-029	Feb 27 17	17:36:39	Assisting Other FD:Mutual Aid Mutual Aid - Morris-Turnberry - Blyth Stn, MORRIS-TURNBERRY	
17-020	Feb 12 17	18:16:38	Power Lines Down,Arcing	LONDON RD AND AMBERLEY
17-016	Feb 4 17	16:49:08	Vehicle Extrication	LONDON RD / MONCRIEFF
17-014	Jan 27 17	13:28:42	Chest pains or heart attack	9 JANE ST
17-008	Jan 11 17	00:48:27	CO false alarm	39724 AMBERLEY RD TRAILER 14
17-009	Jan 11 17	00:36:54	Power Lines Down,Arcing	40767 JAMESTOWN RD
17-006	Jan 7 17	23:12:25	Assisting Other FD:Mutual Aid	MUTUAL AID - BRUSSELS
17-003	Jan 4 17	16:48:09	Gas Leak - Natural Gas	39724 AMBERLEY RD TRAILER 19

**FINANCIAL IMPACT**

n/a

**FUTURE CONSIDERATIONS**

The agreements with each partner municipality were established for a 5 year term and are set to expire as follows:

- Agreement with Morris-Turnberry – 5 Year Term – Expires January 1<sup>st</sup> 2019
- Agreement with Central Huron – 5 Year Term – Expires January 1<sup>st</sup> 2019
- Agreement with Ashfield-Colborne-Wawanosh – 5 Year Term – Expires January 1<sup>st</sup> 2020

Prior to the expiration of these agreements, discussion and negotiation must take place and establish the terms of new agreements.

**RELATIONSHIP TO STRATEGIC PLAN**

Goal #3: Our community is healthy and safe.

Chad Kregar

---

Chad Kregar, Deputy Chief



---

Dwayne Evans, CAO